



An individually unique address meeting the requirements of CFC 505.1 is required on each dwelling unit on this property. All addresses shall be visible from the street.

BLD2024-04135 OCC. NO. 8129 802 Brighton Ave.

Fire sprinklers are not required.

A smoke alarm shall be located in each bedroom and in each bedroom hallway. A carbon monoxide alarm shall be located in each bedroom hallway. Smoke alarms and carbon monoxide alarms shall be hardwired with battery backup. Smoke alarms and carbon monoxide alarms shall be listed by the State Fire Marshal. All smoke alarms within a dwelling unit shall be interconnected such that if one goes off they all go off. All carbon monoxide alarms within a dwelling unit shall be interconnected such that if one goes off they all go off. Smoke alarms located near cooking appliances shall comply with CFC 907.2.11.8 (4 through 6).

Carbon Monoxide Combination Smoke Alarms  
Smoke Alarms

2X6 PERIMETER WALLS

SALES FLOOR PLAN

MODEL NO.:	FPT14602A
DATE:	05-01-12
REVISION:	05-01-20
DESIGN:	CSH14602A
SQUARE FT.:	810 (864)
SHEET:	1-A
DRAWN BY:	

PRODUCT:	FAIRPOINT SERIES
DRAWING TITLE:	
DRAWING FILE INFORMATION:	STANDARD AS OF REVISION DATE

**CMH MANUFACTURING INC.**  
 9998 OLD PLACERVILLE ROAD  
 Sacramento, CA 95827  
 Phone: (916) 363-2881; Fax: (916) 363-4537  
 www.cmh-homes.com www.karatshomes.com